EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3659	(370/437,468).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/06/18 15:41
2	36	((((master and slave) (back adj up)) near2 (process\$3 control\$4 CPU manag\$4)) and (external and internal and (switch\$3 rout\$3))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 15:42
3	0	1 and 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 15:42
.4	4	2 and "370".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 15:43
5	28	((BRIAN) near2 (YANG)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/18 15:44
6	21	((KEN) near2 (HO)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/18 15:44
7	5	((AAMER) near2 (LATIF)).INV.		OR	ON	2009/06/18 15:44
8	54	5 6 7	,	OR	ON	2009/06/18 15:44
9	0	2 and 8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 15:44

S1	31	Resilient near packet near ring near protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:13
 ∑	144	Resilient same packet same ring same protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 12:34
33	18	S2 and ((external internal) near interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:25
34	375	"370/218".CCLS.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 13:47
 35	9	(("BRIAN HANG") near2 (YANG)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 13:00
36	14	((KEN) near2 (HO)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 13:01
 37	4	((AAMER) near2 (LATIF)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 13:19
 38	0	S5 and S6 and S7	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 13:19
9	0	S5 and resilient	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 13:21
10	0	S6 and resilient		OR	ON	2007/08/30 13:19
311	0	S7 and resilient	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 13:19
312	7	S2 and ((external and internal) near interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:12

\$13	125	"802.17"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:27
\$14	13	S13 and ((external and internal) near interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:31
315	137	S2 not S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:30
S16	0	S13 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:31
317	0	S13 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:31
318	0	S13 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:31
319	13	S14 and communicat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:32

S20	13	S19 and protocol	US-PGPUB; USPAT; USOCR; FPRS;	OR	ON	2007/08/30 13:32
			EPO; JPO; DERWENT; IBM_TDB			
321	13	S20 and switch\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:33
22	13	S20 and RpR	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:33
23	550	"370/217".CCLS.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 13:47
24	0	S1 and S4	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 13:47
25	3	S2 and S4	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 13:56
2 6	2189	ring adj topology	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 13:56
27	67	S2 and S26	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 13:59
328	0	S27 and ((external and internal) near interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:57
329	10	S27 and ((external internal) near interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:57
\$30	57	S27 not S29	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 13:59

331	14	(US-20030163593-\$ or US-20030147356-\$ or US-20030103449-\$ or US-20030048754-\$ or US-20030043738-\$ or US-20030043736-\$ or US-20030026209-\$ or US-20030021226-\$ or US-20030012129-\$ or US-20020075868-\$).did. or (US-7110355-\$ or US-7054264-\$ or US-6973049-\$ or US-6892329-\$).did.	US-PGPUB; USPAT	OR	ON	2007/08/30 14:11
32	14	S31 and ("802.17" resilient)	US-PGPUB; USPAT	OR	ON	2007/08/30 14:33
333	0	S31 and ((external and internal) near interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:34
334	1	S31 and ((external and internal)and interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:12
335	14	S31 and ("802.17" resilient rpr)	US-PGPUB; USPAT	OR	ON	2007/08/30 14:33
336	0	S35 and ((external internal) near interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:34
37	0	S35 and ((external internal) with interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:34
38	66720	((external and internal) same interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:35
39	1312	S38 and sonet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:34

S40	1	((external and internal) same interface)same "802.17"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:35
S41	3	((external and internal) same interface)same rpr	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:36
S42	219	((external and internal) same interface)same resilient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:36
S43	0	(((external and internal) same interface)same resilient) with sonet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:54
S44	0	(((external and internal) same interface)same resilient) and sonet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:54
\$45	1	(((external and internal) same interface)same resilient) and "802.17"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:55
S46	0	(((external and internal) same interface)same resilient) with controller	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:55

S47	3	(((external and internal) same interface)same resilient) with control\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:56
S48	0	S42 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:56
349	31	S38 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:08
\$50	1566	("0000389").PN. or ((370/217,218,250) or (340/3.43,3.44)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 15:08
351	69	S50 and (external same internal same (interface port))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:10
352 ×	1	S50 and (external same internal same (interface port)) and rpr	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:10
S53	1	S50 and (external same internal same (interface port)) and "802.17"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:11

54	22	S50 and (external same internal same (interface port)) and ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:24
55	23958	(external same internal same (interface port)) and ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:25
56 56	17	S55 and "802.17"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:25
57	16	S56 not S54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:25
58	2	(US-20050198680-\$).did. or (US-7218901-\$).did.	US-PGPUB; USPAT	OR	ON	2007/08/30 15:30
59	2652	steering and wrapping	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 15:49
60	30	(steering and wrapping) and "802.17"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 16:14
61	86	RPR and ethernet and "802.17"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 16:17

3 62	1384	packet with ring with switch\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 16:15
63	647	packet with ring with switching	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 14:23
64	31	RPR and ethernet and "802.17" and @ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 17:01
65	450	packet with ring with switching and @ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 16:18
66	31	RPR and ethernet and "802.17" and @ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 11:56
67	86	RPR and ethernet and "802.17"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 11:57
68	6	(("20030103449") or ("6973049") or ("20030012129")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 08:27
369	3	(("20030103449") or ("6973049") or ("20030012129")).PN.	US-PGPUB; USPAT	OR	OFF	2007/09/04 08:27

S70	3	S69 AND RESILIENT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 08:27
S71	3	S69 AND RESILIENT ADJ PACKET ADJ RING	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 08:28
572	1	S71 AND EXTERNAL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 08:32
S73	3	S71 AND interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 08:32
574	0	S73 and input	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 08:32
S75	1	S73 and in and out	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 08:34
S76	0	S73 and in with out	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 08:34

S77	648	packet with ring with switching	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 08:37
S78	86	RPR and ethernet and "802.17"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 08:39
S79	494	S77 and interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 08:40
\$80	37	S77 and (internal adj interface)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 08:55
S81	13	S80 and (external adj interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 08:55
\$82	0	S81 and "132"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 08:41
S83	13	S81 and S80	,	OR	ON	2007/09/04 08:53

\$84	7	S83 and @ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 08:56
385	13	S78 and (internal adj interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 08:55
386	13	S85 and (external adj interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 08:55
3 87	7	S86 and @ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 08:56
388	7	S87 and S84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 08:56
389	451	packet with ring with switching and @ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 09:35
3 90	31	RPR and ethernet and "802.17" and @ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 09:36

391	9	S89 and S90	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 09:36
S92	19		US-PGPUB; USPAT	OR	ON	2007/09/04 10:35
S93	4	S92 and (external and internal)	US-PGPUB; USPAT	OR	ON	2007/09/04 10:35
994	3	S92 and ((external and internal) adj interface)	US-PGPUB; USPAT	OR	ON	2007/09/04 10:46
S95	1777	switch\$3 with ring with ((external and internal) adj (interface terminal)) wityh (RPR (resilient adj packet adj ring))	US-PGPUB; USPAT	OR	ON	2007/09/04 10:53
396	0	S95 and 802-17	US-PGPUB; USPAT	OR	ON	2007/09/04 10:48
3 97	114	S95 and "802.17"	US-PGPUB; USPAT	OR	ON	2007/09/04 10:48
S98	45	S97 and @ad<"20030418"	US-PGPUB; USPAT	OR	ON	2007/09/04 10:48
399	0	switch\$3 with ring with ((external and internal) adj (interface terminal)) with (RPR (resilient adj packet adj ring))	US-PGPUB; USPAT	OR	ON	2007/09/04 10:53
S100	0	switch\$3 with ring with ((external and internal) adj (interface terminal)) and (RPR (resilient adj packet adj ring))	US-PGPUB; USPAT	OR	ON	2007/09/04 10:54
S101	0	switch\$3 with ring with (((external and internal) adj (interface terminal)) and (RPR (resilient adj packet adj ring)))	US-PGPUB; USPAT	OR	ON	2007/09/04 10:54
3102	83	switch\$3 with ring with (RPR (resilient adj packet adj ring))	US-PGPUB; USPAT	OR	ON	2007/09/04 10:55
S103	9	S102 and external adj interface	US-PGPUB; USPAT	OR	ON	2007/09/04 10:55
S104	5530433	switches routers (communication adj devices) devices modules	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:14

S105	3272456	RPR Ethernet "802.17" ring protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:28
S1 06	9409350	external output result externally	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:14
\$107	3678550	intertnal input internally	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:14
S108	44472	S104 same S105 same S106 same S107	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:15
6109	19189	S108 and @ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:31
6110	151	S109 and (internal adj interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:20
3111	19189	S108 and @ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ÖN	2007/09/04 13:20

S112	5	S111 and (resilient adj packet adj ring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2007/09/04 13:21
S113	2867882	RPR Ethernet "802.17" ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:29
S114	31478	S104 same S113 same S106 same S107	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:30
S115	11249	S114 and @ad<"20030418"	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:32
S116	415	S115 and resilient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:35
S117	3	S115 and (resilient adj packet adj ring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:33
S118	11	S115 and RPR	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:35

S119	2	("7218901").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 13:53
\$120	1	S119 and Ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 13:53
S121	19	(US-20030163593-\$ or US-20030103449-\$ or US-20030012129-\$ or US-20050198680-\$ or US-20030043736-\$ or US-20030043738-\$ or US-20030026209-\$ or US-20030021226-\$ or US-20030147356-\$ or US-20030048754-\$ or US-20020075868-\$ or US-20030009599-\$ or US-20040208554-\$ or US-20030200548-\$).did. or (US-6973049-\$ or US-7218901-\$ or US-7054264-\$ or US-6892329-\$ or US-7110355-\$).did.	US-PGPUB; USPAT	OR	ON	2007/09/04 14:13
S122	3	S121 and ((internal and external) adj (terminal interface))	US-PGPUB; USPAT	OR	ON	2007/09/04 14:19
S123	130	stacked adj switches	US-PGPUB; USPAT	OR	ON	2007/09/04 14:20
S124	0	resilient adj packet adj protocol	US-PGPUB; USPAT	OR	ON	2007/09/04 14:20
S125	260	resilient adj packet adj ring	US-PGPUB; USPAT	OR	ON	2007/09/04 14:20
3126	0	S123 and S125	US-PGPUB; USPAT	OR	ON	2007/09/04 14:20
3127	637	stack\$3 adj switch\$2	US-PGPUB; USPAT	OR	ON	2007/09/04 14:20
S128	0	S127 and S125	US-PGPUB; USPAT	OR	ON	2007/09/04 14:20
6129	29	(resilient adj packet adj ring) same switch	US-PGPUB; USPAT	OR	ON	2007/09/04 14:22
3130	2	(resilient adj packet adj ring) same switch same internal	US-PGPUB; USPAT	OR	ON	2007/09/04 14:21
5131	2420	packet same ring same switching	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 14:24

S132	49	RPR same ethernet same "802.17"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 14:58
S133	21	S131 and S132		OR	ON	2007/09/04 14:25
5134	8	S133 and @ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 14:32
S135	8	S134 and @ad< "20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 14:27
S136	15	S132 and @ad< "20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 14:29
S137	1213	S131 and @ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 14:33
S138	656	S137 and "370".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 14:35

S139	33	S138 and RPR	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 14:35
S140	86	RPR and ethernet and "802.17"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 14:59
S141	31	RPR and ethernet and "802.17" and @ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 14:59
6142	3836	(370/395.53,222,223,258,403,404,405,406,423,424,451,452,909).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/25 10:51
S143	85	S142 and (external and internal) with interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 10:53
5144	66	S143 and @ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 10:54
\$145	0	S142 and (internal with RPR with interface) same (external with interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 10:56

S146	0	S142 and (internal with RPR with interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 10:57
S147	0	S142 and (internal with (packet near2 ring) with interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 10:57
S148	3	S142 and (internal with (packet with ring) with interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 10:57
S150	58	S142 and stacked	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 11:03
3151	58	S142 and stacked	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 11:03
S152	15	S142 and stacked with ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 11:04
S153	15	S152 and @ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 11:04

S154	1	S142 and stacked with ring and (internal and external)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 11:38
\$155	4588	(370/468,435,437,438).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/25 14:10
\$156	22323	bandwidth with allocat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:12
\$158	1555401	capacity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:12
3159	75449	load with balanc\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:13
\$160	1244	S155 and S156	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:13
S161	0	S155 and S157	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:13

S162	1910	S155 and S158	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:13
5163	157	S155 and S159	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:13
3164 S164	53	S160 and S162 and S163	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:21
S165	38	S164 and @ad<"20030418"	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:22
S166	111	S165 and ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:22
\$167	486	S155 and ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 15:06
3168	46	S155 and ring with port	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 15:06

S169	44	S168 and @ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 15:06
3170	1809	S155 and (aggregat\$4 combin\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 15:07
6171	16	S155 and (aggregat\$4 combin\$4) with ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 15:08
S172	2093	(aggregat\$4 combin\$4)with (channel link port) with ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 15:15
3173	452	((aggregat\$4 combin\$4)near3 (channel link port)) with ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 15:16
S174	248	S173 and @ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 15:17
S175	1	((aggregat\$4 combin\$4)near3 (channel link port)) with (load adj balanc\$3) with ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 15:47

\$176	7	((aggregat\$4 combin\$4)with (channel link port)) with (load adj balanc\$3) with ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 15:57
\$177	5	S176 and @ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 15:58
\$178	2093	((aggregat\$4 combin\$4)with (channel link port)) with ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 15:59
\$179	2093	((aggregat\$4 combin\$4)with (channel link port)) with ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 08:16
3180	24	((aggregat\$4 combin\$4 join\$4)with (channel link port)) with ring with bandwidth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 08:17
6181	17	(((aggregat\$4 combin\$4 join\$4)with (channel link port)) with ring with bandwidth) and @ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 08:17
S182	27	(US-20030200548-\$ or US-20050198680-\$ or US-20030163593-\$ or US-20030147356-\$ or US-20030103449-\$ or US-20030048754-\$ or US-20030043738-\$ or US-20030043736-\$ or US-20030012129-\$ or US-20030009599-\$ or US-20020075868-\$ or US-20030026209-\$ or US-20030021226-\$ or US-20030142674-\$ or US-20020186667-\$ or US-20030072259-\$).did. or (US-7218901-\$ or US-7054264-\$ or US-6973049-\$ or US-6892329-\$ or US-7110355-\$ or US-7113485-\$ or US-6952397-\$ or US-4679191-\$ or US-4587651-\$ or US-5276681-\$).did. or (US-5912889-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/26 08:47

3183	7851	((link control) adj signal) with (link port terminal interface)with (aggreget\$4 combin\$4 join\$4 accumulat\$4 add\$3 collect\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 08:51
3184 3184	30	((link control) adj signal) with (link port terminal interface)with (aggreget\$4 combin\$4 join\$4 accumulat\$4 add\$3 collect\$4) with bandwidth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 08:52
S185	8	(((link control) adj signal) with (link port terminal interface)with (aggreget\$4 combin\$4 join \$4 accumulat\$4 add\$3 collect\$4) with bandwidth)and @ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 08:53
S186	0	(((link control) adj signal) with (link port terminal interface)with (aggreget\$4 combin\$4 join \$4 accumulat\$4 add\$3 collect\$4) with bandwidth)and ring and @ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 08:53
6187	27	US-20030103449-\$ or US-20030048754-\$ or US-20030043738-\$ or US-20030043736-\$ or	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/26 10:04
3188	7	S187 and (stor\$4 sav\$4 register\$4) near2 (memory buffer cache register storage)	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/26 10:07
3189	7	S188 and (control link) near2 (signal message packet frame)	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/26 10:08
3190	4		US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/26 10:08
3191	1	with (combin\$4 aggregat\$4 join\$4 consulidat\$3)	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/26 10:10

S192	752	((control link) near2 (signal message packet frame)) with (port interface terminal) with bandwidth	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/26 10:21
S193	63	((control link) near2 (signal message packet frame)) with (port interface terminal) with (bandwidth near (allocat\$4 adjustment))	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/26 10:22
S194	52	(((control link) near2 (signal message packet frame)) with (port interface terminal) with (bandwidth near (allocat\$4 adjustment))) and @ad<"20030418"	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/26 10:23
S195	26	(((control link) near2 (signal message packet frame)) with (port interface terminal) with (bandwidth near (allocat\$4 adjustment)) and ring) and @ad<"20030418"	US-PGPUB; USPAT; DERWENT	OR	ON	2008/03/26 10:24
S196	1	("6246692").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/26 10:44
3197	0	S196 and port with traffic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 10:52
S198	0	S196 and port with flow	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 10:53
S199	1	("6246692").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/26 11:51
\$200	1	S199 and (storing saving registering)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 11:52

\$201	0	S199 and (load near balancing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 12:07
\$202	0	S199 and (balan\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 12:07
\$203	1	("6246692"), PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/26 14:17
\$204	1	S203 and control with (network adj interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 14:24
\$205	1	S203 and control with (bandwidth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 14:56
\$206	1	\$203 and (bandwidth) with (approv\$3 authoriz\$ vlidat\$3 confirm\$3 constitud\$3 justifi\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 15:22
\$207	36619648	@ad<="20040418" or @pd<="20040418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 16:43

\$208	15	S207 and (evaluat\$4 with statistic\$1 with aggregat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 16:46
≥ 209	26	S207 and (evaluat\$4 with statistic\$1) same aggregat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 16:53
\$210	11	S209 not S208	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 16:57
S211	3668	statistics with (link port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 17:02
2212	12	statistics with (link port) with evaluating	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 17:03
S213	12	S212 not S209	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 17:03
S214	99	(link port) with evaluat\$3 with statistic\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 17:04

\$215	72	S214 and S207	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 17:04
\$216	0	(link port) with evaluat\$3 with statistic\$3 with aggregat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 17:05
\$217	0	S216 and S207	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 17:05
\$218	0	(link port) with evaluat\$3 with statistic\$3 same aggregat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 17:05
\$219	28	(link port) with evaluat\$3 with statistic\$3 and aggregat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 17:06
\$220	20	S207 and S219	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 17:06
\$221	74	(evaluat\$3 with statistics) and ((link port) with aggregat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ÖN	2008/03/26 17:08

S222	20	\$221 and \$207	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2008/03/26 17:08
\$223	17	\$222 not \$220	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 17:08
\$224	36619670	@ad<="20040418" or @pd<="20040418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 10:06
\$225	28	(link port) with evaluat\$3 with statistic\$3 and aggregat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 10:06
\$226	20	S224 and S225	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 10:06
\$227	74	(evaluat\$3 with statistics) and ((link port) with aggregat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 10:06
\$228	20	S227 and S224	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 10:06

\$229	17	\$228 not \$226	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 10:06
S230	1	("5491687").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/27 10:07
3231	0	\$229 and \$230	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 10:07
\$232	0	S227 and S230	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 10:07
\$233	1	S224 and S230	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 10:08
2 34	1	S230 and statistics same aggregate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 10:10
\$235	2	"20040049564"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 10:17

\$236	1	S235 and (aggregat\$3 with port) same statistic\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 10:17
\$237	1	("6246692").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/27 11:05
5238	1	S237 and select\$4 with (port link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 11:06
239	1	S237 and "70" with "100"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 11:37
240	1	S237 and "70" with "100" with "90"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 12:10
241	1	S237 and "168" with channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 12:22
 242	1	S237 and "168" with channel with pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 12:23
 S243	7173	(709/223). OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/27 13:36

2 44	99	i e e e e e e e e e e e e e e e e e e e	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 10:01
2 45	37		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 10:03
 246	18		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 10:13
\$247	17		US-PGPUB; USPAT; USOCR	OR	ON	2008/12/10 10:16
∑48 ∑48	81		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 10:26
2 49	35400	cumulat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 10:51
 250	28	with dynamic\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 10:52
 251	4		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 10:53

\$252	34	with dynamic\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 10:59
3 253	8	S252 and @ad< = "20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 10:59
2 54	4	•	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 10:59
2 555	1398	(statistic) with (link port interface terminal) with (aggregat\$4 combin\$2 collect\$4 cumulat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 12:12
256	622	S255 and @ad<="20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 12:12
257	229	S255 and aggregat\$4 and @ad<="20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 12:12
258	109	S255 and (aggregat\$4 with (link port interface terminal)) and @ad<="20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 12:13

\$259	3713	(370/437,436,468).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/12/10 12:19
\$260	431	\$259 and aggregat\$4 and @ad<="20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 12:20
S261	145	S259 and (aggregat\$4 with (port link interface terminal)) and @ad<="20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 12:21
\$262	113	S259 and (aggregat\$4 with (port link)) and @ad<="20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 12:22
\$263	2	S259 and (aggregat\$4 with (port link) with dynamic\$4) and @ad<="20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 12:22
\$264	2	S259 and (aggregat\$4 with (port link) with dynamic\$5) and @ad<="20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 12:22
S265	1	(US-4893305-\$).did.	USPAT	OR	ON	2008/12/10 13:17
<u>\$266</u>	1	S265 and (signal datagram packet cell frame information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 13:17

\$267	1	S265 and (upcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 13:26
\$268	1	S265 and (code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 13:29
3269	1	("6246692").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/12/10 13:35
\$270	1	("6246692").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/12/10 13:35
5271	803	(370/348).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/12/10 13:41
\$272	2	S271 and (aggregat\$4 with (port link) with dynamic\$5) and @ad<="20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 13:41
3273	1	(US-4893305-\$).did.	USPAT	OR	ON	2008/12/10 14:31
 3274	1	S273 and master and slave	USPAT	OR	ON	2008/12/10 14:31
 3275	1	S273 and master with slave	USPAT	OR	ON	2008/12/10 14:31
 3276	555	(controller processor management) with (switch adj module)	USPAT	OR	ON	2008/12/10 14:50
<u>2</u> 77	1	(controller processor management) with (switch adj module) with (master primary) with (slave secondary)	USPAT	OR	ON	2008/12/10 14:58
S278	1	(controller processor management) with (switch adj module) with ((master primary) and (slave secondary))	USPAT	OR	ON	2008/12/10 14:58

3279	23	(controller processor management) with (switch adj module) same ((master primary) and (slave secondary))	USPAT	OR	ON	2008/12/10 14:58
280	5	S279 and aggregat\$4 and @ad<="20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 14:59
281	18	S279 and @ad<="20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 15:01
282	13	S281 not S280	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 15:02
283	2	"20030074469"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 10:50
284	1	("4893305").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/12/11 10:57
285	0	S284 and stastic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 10:58
286	0	S284 and statistic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 10:58

S287	1		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 11:06
S288	237	stacked adj switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 12:44
3 289	117	· ·	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 12:45
3290	0	(stacked adj switch) and ("resilient packet ring")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 12:49
 3291	1	(US-20030074469-\$).did.	US-PGPUB	OR	ON	2008/12/11 12:58
5292 5292	1	S291 and (stor\$3 sav\$3 memory buffer cache register\$3 writ\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 13:02
3 293	296	same internal same (switch\$3 rout\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 10:39
¥294	26612294	@ad<"20030418"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 10:45
3295	165	S293 and S294	US-PGPUB; USPAT	OR	ON	2009/06/18 10:48

\$296	23	master with (slave (back adj up)) with (process\$3 control\$4 CPU manag\$4) with external with internal with (switch\$3 rout\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 10:49
\$297	15	S296 and S294	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 10:49
298	30	((master with slave) (back adj up)) with (process\$3 control\$4 CPU manag\$4) with external with internal with (switch\$3 rout\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 11:35
3 299	19	S298 and S294	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 11:36
300	4	S299 not S297	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 11:36
3301	137	((master with slave) (back adj up)) same (process\$3 control\$4 CPU manag\$4) same (external with internal with (switch\$3 rout\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 12:35
S302	91	S301 and S294	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 12:36

\$303	72	S302 not S298	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 12:37
S304	14	(((master with slave) (back adj up)) near2 (process\$3 control\$4 CPU manag\$4)) same (external with internal with (switch\$3 rout\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 13:38
S305	11	S304 and S294	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 13:39
S306	10	S305 not S300	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 13:39

6/18/2009 3:55:06 PM

C:\ Documents and Settings\ nmahmoudzadeh\ My Documents\ EAST\ Workspaces\ 10826215.wsp